EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	157	(determin$4) with (header preamble) with (updat$4 upgrad$4) with (register parameter value configuration)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/01/17 20:54
L2	60	L1 and (@ad<="20020410" or @rlad<="20020410")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/17 20:54
L3	1904	(header preamble) with (updat$4 upgrad$4) with (register parameter value configuration)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/01/17 20:55
L4	294	(header preamble) near3 (updat$4 upgrad$4) near3 (register parameter value configuration)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/01/17 20:55
L5	164	4 and (@ad<="20020410" or @rlad<="20020410")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/17 20:55
L6	16147	(configur$5 reconfigur$5 updat$4 upgrad$4) with (network near3 (switch router hub bridge))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/17 20:55
L7	17	4 and 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/17 20:56
L8	6	7 and (@ad<="20020410" or @rlad<="20020410")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/17 20:56
S1	10	US-5423015-$.DID. OR US-5644784-$.DID. OR US-59096861-$.DID. OR US-6061351-$.DID. OR US-5727126-$.DID. OR US-5794033-$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 15:28

S2	2	"20040215843".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 16:06
S3	2	"6816918".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 21:36
S4	6	US-6407960-$.DID. OR US-5727207-$.DID. OR US-6792848-$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 16:14
S5	6	US-6407960-$.DID. OR US-5727207-$.DID. OR US-6292848-$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 16:37
S6	10215	(710/8-14.ccls. or 713/1,2,100.ccls. or 709/220-222.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 16:48
S7	17	S6 and determin$4 with (configur$5 reconfigur$5 updat$4 upgrad$4) with (inteface spi iic i1c pci) with (memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 17:28
S8	110	determin$4 with (configur$5 reconfigur$5 updat$4 upgrad$4) with (inteface spi iic i1c pci) with (memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 16:56
S9	89	S8 and (@ad<="20020410" or @rlad<="20020410")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 17:29
S10	173	S6 and (configur$5 reconfigur$5 updat$4 upgrad$4) with (inteface spi iic i1c pci) with (memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 17:28
S11	130	S10 and (@ad<="20020410" or @rlad<="20020410")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/06 06:07

S12	9463	(configur$5 reconfigur$5 updat$4 upgrad$4) with (network near3 (switch router hub bridge))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/06 06:07
S13	22	(configur$5 reconfigur$5 updat$4 upgrad$4) with (network near3 (switch router hub bridge)) with (inteface spi iic i1c pci)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/06 06:07
S14	17	S13 and (@ad<="20020410" or @rlad<="20020410")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/06 06:22
S15	20288	(header preamble start) with (number) with (reqister value parameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/06 06:22
S16	209	S12 and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/06 06:19
S17	160	S16 and (@ad<="20020410" or @rlad<="20020410")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/06 06:19
S18	44	eeprom with (header preamble start) with (number) with (reqister value parameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/06 06:22
S19	41	S18 and (@ad<="20020410" or @rlad<="20020410")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/06 06:22
S20	13	("5423015" | "5644784" | "5699350" | "5727126" | "5794033" | "5909686" | "5938764" | "6061351" | "6199192" | "6292707" | "6349304" | "6480235" | "6553489").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/06 06:27
S21	2	"6407960".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 08:13

S22	2	"5727207".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 21:36
S23	120	determin$4 with (configur$5 reconfigur$5 updat$4 upgrad$4) with (inteface spi iic i1c pci) with (memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/28 14:22
S24	92	S23 and (@ad<="20020410" or @rlad<="20020410")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/28 14:22
S25	12170	(710/8-14.ccls. or 713/1,2,100.ccls. or 709/220-222.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/28 14:23
S26	210	S25 and (configur$5 reconfigur$5 updat$4 upgrad$4) with (inteface spi iic i1c pci) with (memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/28 14:23
S27	134	S26 and (@ad<="20020410" or @rlad<="20020410")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/28 14:23
S28	1452	(header preamble) with (updat$4 upgrad$4) with (register parameter value configuration)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/03/28 14:31
S29	119	(determin$4) with (header preamble) with (updat$4 upgrad$4) with (register parameter value configuration)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/03/28 14:32
S30	58	S29 and (@ad<="20020410" or @rlad<="20020410")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/28 14:32
S31	15	((determin$4) with (header preamble) with (updat$4 upgrad$4) with (register parameter value configuration)).clm.	US-PGPUB	OR	ON	2008/03/28 15:13
S32	8	(determin$4 with (configur$5 reconfigur$5 updat$4 upgrad$4) with (inteface spi iic i1c pci) with (memory)).clm.	US-PGPUB	OR	ON	2008/03/28 15:14

S33	2	"6738833".pn.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/03/28 15:42
S34	18	("5699350" | "5727207" | "5781796" | "5938761" | "6292707" | "6292848" | "6349304" | "6480235" | "6553489").PN.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/06/04 23:23
S35	15126	(switch router peripheral hub) with (reconfigur$4 configur$5 parameter) with (memory eeprom)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/07/21 22:11
S36	2994	(switch router peripheral hub) with (reconfigur$4 configur$5 parameter) with (memory eeprom) with (external interface)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/07/21 22:12
S37	263	(switch router peripheral hub) with (reconfigur$4 configur$5 parameter) with (register) with (memory eeprom) with (external interface)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/07/21 22:12
S38	166	S37 and (@ad<="20020410" or @rlad<="20020410")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 22:12
S39	2	"20040215843".did.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/07/22 08:48
S40	5942	(header prefix preamble) with (configur$5 reconfigure updat$4) with (value parameter register number)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/07/22 13:13
S41	683	(determin$4 calculat$4) with (header prefix preamble) with (configur$5 reconfigure updat$4) with (value parameter register number)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/07/22 13:14
S42	226	S41 and ((header prefix preamble) with (memory eeprom rom))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/07/22 13:15

S43	132	S42 and (@ad<="20020410" or @rlad<="20020410")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 13:19
S44	2	"20040215843".did.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/12/08 12:31
S45	174	(eeprom eprom) with (configuration) with ((address index) and (data))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/12/08 12:50
S46	130	S45 and (@ad<="20020410" or @rlad<="20020410")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/08 12:51
S47	10	(eeprom eprom) with (configuration) with instruction with ((address index) and (data))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/12/08 12:59
S48	8	S47 and (@ad<="20020410" or @rlad<="20020410")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/08 12:59
S49	135	(eeprom eprom) with ((configuration) near3 instruction)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/12/08 13:06
S50	94	S49 and (@ad<="20020410" or @rlad<="20020410")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/08 13:07
S51	2	"6816918".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/11 22:35
S52	73	(memory with (configuration near3 instruction) with (address) with data)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2008/12/11 22:46

| S53 | 47 | S52 and (@ad<="20020410" or @rlad<="20020410") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/11 22:47 |

1/17/2010 9:01:38 PM
C:\Documents and Settings\ESorrell\My Documents\EAST\Workspaces\10805233.wsp